

## KANCHRAPARA COLLEGE

Kanchrapara, North 24-Parganas Pin – 743 145

Ph. No. 2585 8790 2585 5159

E-mail – info@kpcoll.ac.in ESTD – 1972

website: http://www.kanchraparacollege.ac.in

Ref. No.: KPC/PC/Tender notice-1/Renovation/2022-185 Date: 18/0.6/2022

## NoticeInvitingTender

Sealed Quotations are invited from the reputed bonafied Contractor/ Supplier for Different type of Improvement / Different kind of work / Renovation / Repair under KanchraparaCollegehaving sufficient credential and financial like (GST Certificate, PAN, P.Tax (Challan)(2020-21), Trade licence, Credential certificate & Income tax return for Last 3 Year updated and Similar Nature Of work done completion certificate of value at least 40% of the estimated amount of the respective work in a single contract within last 3 years with is applicable for eligibility in this tender ) capability for execution of works as depicted hereunder for participating in the tender.

Sl. N o.	Name of the work	Estimated amount put to tender (including GSTinRs.)	Earnest Money 2% of Estimate Amount (inRs.)	Cost of Tender Documents (Applicable for the successful Contractor only at the time of formal agreement) (inRs.)
1	PROPOSED RENOVATION WORK ESTIMATE FOR NEW BUILDING GROUND FLOOR & 1 <sup>5T</sup> FLOOR LADIES AND TRANSGENDER TOILETS	115731	2315	118046

## **Schedule Date and Time**

are Date and Time		
Last date of submission of Tender/quotation	04.07. 2022, upto 2pm	•)
paper		Α,
Place of receipt of Quotation	Tender Box, Front of Principal Chamber	77
Time and date of opening of Quotation	07.07.2022, after 2pm	
Place of opening of Quotation	Principal Chamber	

- 2. Please website also http://www.kanchraparacollege.ac.in
- 3. Tenderers/quotation shall ensure that their tenders quotation / duly sealed and signed, complete in all respects as per instructions contained in the Quotation Documents, are dropped in the tender box located at the address given bellow on or before the closing date and time indicated in the table above. Falling which the tenders will be treated as late and reject.
- 4. In the event of any of the above mentioned dates being declared as a holiday/closed day for the purchase organization, the tenders will be sold/received/opened on the next working day at the appointed time.
- 5. The quotation documents are not transferable.
- 6. The undersigned has received the right to accept or reject the tender without any reason whatsoever.

Kanchrapara College
Kanchrapara, 24 Pgs (N)



PROPOSED RENOVATION WORK ESTIMATE FOR NEW BUILDING GROUND FLOOR & 1ST FLOOR LADIES AND TRANSGENDER TOILET OF KANCHARAPARA COLLEGE AT HOLDING NO -2, SIRAI MONDAL LANE WORDNO - 8, KANCHARAPARA , I.L NO-2, MOUZA- BAHIRBAG, P.S-BIJPUR, PLOT NO- 1616,1627,1632,1635, KHATIAN NO- 2585, UNDER KANCHARAPARA MUNICIPALITY, PIN-713145, DIST- NORSTH 24 PARGANAS

Estimate as Per P.W.D Schedule Effective from (Building,Sanitary & Plumbing, Electrical works)


Estimate as Per P.W.D Schedule Erres		•	lengt	h Broath	Height	Quanti	Unit	Rate Rs.	Amount Rs
Description of Item	No o	1 110	(M)	(M)	(M)	у	Gine		
Decription of Item	11001	1				1.2825			-
aking out carefully Ranigunge pattern tiles fromroof		+	2.85	_		1.2825			
Taking out carefully Ranguinge pattern the stacking seviceable tiles at site and removing rubbish as directed within a lead of 75m.		一	1			0	ļ		
						0	-2	62.00	318.06
	2			Total		2.565	m3	02.00	
the base and reking out joints of walls,		1	2.85			1.2825	_		
ripping off worn out plaster and raking out joints of walls, lings etc. upto any height and in any floor including		1	2.85	0.45		0	_		
noving rubbish within a lead of 75m as directed.	1	_			0.1	0			97.47
moving rubbish within a loss	2	┼─		Total		2.565		19.00	97,47
5 4 5 4 5 4 5 4 9 mm		$\vdash$							
Supplying, fitting and fixing Marble Slab/tile of 15 to 18 mm thickness in floor, lobby, stair, landing & treads etc. over 20 mm (av.) thck base of Cement mortar (1:2) laid with white cement slurry @ 4.4 kg/Sq.m before placing marble & jointed with white cement slurry @ 2.0 kg/Sq.m with necessary pigments including grinding and Granite polishing as per direction of Engineering -in -Charge in Ground Floor. {White									
and Diament to be supplied by the Agency		floo				0.006			
Area of each Slab/tile exceeding 0.60 sq.m but not		1	3.52	1.8		6.336 7.092			
ceeding 1.00 sq.m.		1	3.94	1.8		13.428		1902.00	51080.11
	2					13.420			
pplying, fitting and fixing brass ferrule including nection with P.V.C. be of approved make upto 450 mm long with plumbing ht,brass over P. coupling at both ends, with cap and lining complete in respect, sluding cutting trenches in all sorts of soil and filling up inches as per ection of the Engineer-in-charge.  Districts of West in No. Description of Item	2		A \$			3	Nos	1825	10950.00
25 mm dia.							Fb	172	
mantling ferrule with all pipe connections.	2					2	Each set	1172	688.00
mantang rental and ren							set		
		2						1420	
plying, fitting and fixing complet set of white ceramic pan for ladies & transgender ,best approved quality brand.	2	2				9			5680.00
plying, fitting and fixing bib cock or stop cock i) Chromium plated angular Stop Cock with wall flange uivalent to Code No. 5053 & Model - Florentine of	2					2	each	815	3260.00
uar or similar brand).  plying, fitting and fixing low-down cistern parts.  Iternal fittings for cistern complete of approved make	2					2		284	1136.00
Putlet Accomply	2			-		2		279	1116.00
Outlet Assembly Intlet Assembly	2	$\dashv$		<del></del>		2		64	256.00
Rubber Kid	2	$\dashv$				2		304	1216.00
Knob	2	$\Box$				2		304	1216.00
plying, fitting and fixing white vitreous china best quality roved make wash basin with C.I. brackets on 75 mm X nm wooden blocks, C.P. waste fittings of 32 mm dia., approved quality brass C.P. pillar cock of 15 mm dia., chain with rubber plug of 30 mm dia., approved quality C. waste pipe with C.P. nut 32 mm dia., 900 mm long roved lity P.V.C. connection pipe with heavy brass C.P. nut uding mending good all damages and painting the ckets with two coats of	2	,				2		2208	8832.00
app cha .C. v rove lity F udin cket	wooden blocks, C.P. waste fittings of 32 mm dia., croved quality brass C.P. pillar cock of 15 mm dia., ain with rubber plug of 30 mm dia., approved quality waste pipe with C.P. nut 32 mm dia., 900 mm long ed P.V.C. connection pipe with heavy brass C.P. nut g mending good all damages and painting the	wooden blocks, C.P. waste fittings of 32 mm dia., broved quality brass C.P. pillar cock of 15 mm dia., and with rubber plug of 30 mm dia., approved quality waste pipe with C.P. nut 32 mm dia., 900 mm long and P.V.C. connection pipe with heavy brass C.P. nut g mending good all damages and painting the swith two coats of	wooden blocks, C.P. waste fittings of 32 mm dia., broved quality brass C.P. pillar cock of 15 mm dia., ain with rubber plug of 30 mm dia., approved quality waste pipe with C.P. nut 32 mm dia., 900 mm long and P.V.C. connection pipe with heavy brass C.P. nut g mending good all damages and painting the s with two coats of	wooden blocks, C.P. waste fittings of 32 mm dia., broved quality brass C.P. pillar cock of 15 mm dia., ain with rubber plug of 30 mm dia., approved quality waste pipe with C.P. nut 32 mm dia., 900 mm long and P.V.C. connection pipe with heavy brass C.P. nut g mending good all damages and painting the s with two coats of	wooden blocks, C.P. waste fittings of 32 mm dia., broved quality brass C.P. pillar cock of 15 mm dia., ain with rubber plug of 30 mm dia., approved quality waste pipe with C.P. nut 32 mm dia., 900 mm long and P.V.C. connection pipe with heavy brass C.P. nut g mending good all damages and painting the s with two coats of	wooden blocks, C.P. waste fittings of 32 mm dia., proved quality brass C.P. pillar cock of 15 mm dia., and with rubber plug of 30 mm dia., approved quality waste pipe with C.P. nut 32 mm dia., 900 mm long and P.V.C. connection pipe with heavy brass C.P. nut generating good all damages and painting the swith two coats of	wooden blocks, C.P. waste fittings of 32 mm dia., arroved quality brass C.P. pillar cock of 15 mm dia., ain with rubber plug of 30 mm dia., approved quality waste pipe with C.P. nut 32 mm dia., 900 mm long and P.V.C. connection pipe with heavy brass C.P. nut are mending good all damages and painting the swith two coats of ad paint. (ii) 550 mm X 400 mm size	wooden blocks, C.P. waste fittings of 32 mm dia., proved quality brass C.P. pillar cock of 15 mm dia., ain with rubber plug of 30 mm dia., approved quality waste pipe with C.P. nut 32 mm dia., 900 mm long ed P.V.C. connection pipe with heavy brass C.P. nut g mending good all damages and painting the swith two coats of ed paint. (ii) 550 mm X 400 mm size	wooden blocks, C.P. waste fittings of 32 mm dia., proved quality brass C.P. pillar cock of 15 mm dia., and with rubber plug of 30 mm dia., approved quality waste pipe with C.P. nut 32 mm dia., 900 mm long and dia. P.V.C. connection pipe with heavy brass C.P. nut granding good all damages and painting the swith two coats of

1					Septem 1			AND	A Company
10	Supplying, fitting and fixing decorativ mirror 2'/2'6" with back side 10mm thickness play (according to market prise)	2				2	each	2890	11560.00
11	125 mm. thick brick work with 1st class bricks in cement mortar (1:3) in ground floor	2	4.3		1	4.3	Sq.M.	689	5925.40
$\vdash$				-	Total		11	Rs	103331.04 +
$\vdash$	Add G.S.T 12%							Rs	12399.73 +
$\vdash$	Add contingency 2 %								2066.62
-	Add Cess 1%								1157.31
$\vdash$		Rs	118954.70						
_								Say Rs	118955.00
					Tillat	LStimate	Amount		
100	Rupees One Lakh Eighteen	Thous	and Nine	lundre	f Fifty fi	ve Only			

Signature of Owner: -

Principal
Kanchrapara College
Kanchrapara, 24 Pgs (F

Estimated By- Name) Nietwi 18/6/22 MANOJ MISTRI Diploma Civil Engineer Reg. No.-61633 (ICE (I) PROPOSED RENOVATION WORK PLAN FOR NEW BUILDING GROUND FLOOR & 1ST FLOOR LADIES & TRANSGENDER TOILET OF KANCHARAPARA COLLEGE AT HOLDING N°C -2, SIRAJ MONDAL LANE WORDNO - 8, KANCHARAPAPA, J.L NO-2, 1 IOUZABAHIRBAG, P.S-BIJPUR, PLOT NO- 1616,1627,1632,1635, KHATIAN NO-2585, UNDER KANCHARAPARA MUNICIPALITY, PIN-713145, DISTNORSTH 24 PARGANAS



## WORK DETAIL -

- 4 NO URIN PAN FOR LADIES &
  TRANSGENDER INCLUDING WATER SUPPLY & ACCESSORIES
  - 4 NO WASH BASIN WITH WATER SUPPL TAP & ALL FITTINGS
- 4" PVC PIPE FOR DRAINAGE SYSTEM INCLUDING ALL ACCESSORIES
- 4 NO DECORATIVE MIRROR WITH FITTING & FIXING.
- BRICK WORK , L-4.3M,B-0.125M,H-1M

SIGNATURE OF OWN\_R:
DRAWN BY

MANOUM ISTRI

Diploma Civil Engineer

Reg. No.-61633 (ICE (I))